



Established 1906

WT KNOWLES & SONS LIMITED

Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/SFT/K1041S

Manufacturer

W T Knowles & Sons Limited

Ash Grove Pipe Works

Elland

West Yorkshire

HX5 9JA

www.wtknowles.co.uk

Restricted Flue Terminal

Saucer Pot K1041S



Dimensions

Base: Outside square 330mm

Inside square 280mm

Top: Outside diameter 360mm

Height: K1041S

mm 600

Intended Use

To be fixed on a masonry chimney stack over the flue liner to convey combustion gases from a solid fuel fire safely into the atmosphere

Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type I - restricted flue terminal

Annex ZA.1 Attestation of conformity system - 4

Performance Characteristic

Flow Resistance (K): Pass BSI Test Report

Durability: Freeze/Thaw Pass - BSI Test Report 8422446

Dangerous Substances: Not applicable

Markings

WTK EN 13502 Type I **CE**

OD / ID / HT WTK DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacture's instructions.

This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles

Managing Director

Elland 4th June 2018

Place and Date of Issue