



Established 1906

WT KNOWLES & SONS LIMITED

# Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/SFT/KHPI - KHPIL

## Manufacturer

**W T Knowles & Sons Limited**

Ash Grove Pipe Works  
Elland  
West Yorkshire  
HX5 9JA  
www.wtknowles.co.uk

## Open-Topped Flue Terminal

### Square Base 'H' Pot KHPI - KHPIL



## Dimensions

Base:	Outside square	330mm
	Inside square	280mm
Top - KHPI:	Outside diameter	185mm
	Inside diameter	150mm
Top - KHPIL:	Outside diameter	245mm
	Inside diameter	210mm
Height:	KHPI	KHPIL
	mm	920

## Intended Use

To be fixed on a masonry chimney stack over the flue liner to convey combustion gases from a solid fuel fire safely into the atmosphere.

## Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type 0 - open-topped flue terminal Annex ZA.1 Attestation of conformity system - 4

## Performance Characteristic

Flow Resistance (K):	NPD
Durability: Freeze/Thaw	Pass - BSI Test Report 8422446
Dangerous Substances:	Not applicable

## Markings

WTK EN 13502 Type 0    CE  
OD / ID / HT    WTK    DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacturer's instructions. This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles    Managing Director

Elland    4<sup>th</sup> June 2018  
Place and Date of Issue