



Established 1906

WT KNOWLES & SONS LIMITED

# Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/SFT/KLH3 - KLH4

## Manufacturer

**W T Knowles & Sons Limited**

Ash Grove Pipe Works  
Elland  
West Yorkshire  
HX5 9JA  
[www.wtknowles.co.uk](http://www.wtknowles.co.uk)

## Restricted Flue Terminal

**Hooded Leeds 3 Bowl  
Push In Top  
KLH3 - KLH4**



## Dimensions

		KLH3	KLH4
Base:	Outside diameter	185mm	205mm
	Inside diameter	150mm	175mm
Top:	Wide	300mm	300mm
Height:	KLH3	KLH4	
	mm	605	605

## Intended Use

To be fixed into an existing chimney pot or flue liner to convey combustion gases from a solid fuel fire safely into the atmosphere

## Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type I - restricted flue terminal  
Annex ZA.1 Attestation of conformity system - 4

## Performance Characteristic

Flow Resistance (K):	Pass
Durability: Freeze/Thaw	Pass - BSI Test Report 8422446
Dangerous Substances:	Not applicable

## Markings

WTK EN 13502 Type I    **CE**  
OD / ID / HT    WTK    DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacture's instructions. This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles    Managing Director

Elland    4<sup>th</sup> June 2018  
Place and Date of Issue