



Established 1906

WT KNOWLES & SONS LIMITED

# Construction Products Regulation 305/2011 Declaration of Performance

No. **WTK/SFT/KNODFE5**

## Manufacturer

**W T Knowles & Sons Limited**

Ash Grove Pipe Works

Elland

West Yorkshire

HX5 9JA

www.wtknowles.co.uk

## Restricted Flue Terminal

**DFE Double Combi  
Gas Terminal  
KNODFE5**



## Dimensions

Base: Outside diameter 300mm

Inside diameter 260mm

Top: Outside diameter 245mm

Height: KNODFE5

mm 760

## Intended Use

To be fixed onto a masonry chimney stack, over the flue liner, to convey combustion gases from a gas fire safely into the atmosphere.

## Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type 2 - restricted flue terminal  
Annex ZA.1 Attestation of conformity system - 4

## Performance Characteristic

Flow Resistance (K): Maximum 2 (Declared)

Durability: Freeze/Thaw Pass - BSI Test Report 8422446

Dangerous Substances: Not applicable

## Markings

WTK EN 13502 Type 2 **CE**

OD / ID / HT WTK DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacture's instructions. This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles Managing Director

Elland 4<sup>th</sup> June 2018  
Place and Date of Issue