



Established 1906

WT KNOWLES & SONS LIMITED

# Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/SFT/KSBBP

## Manufacturer

**W T Knowles & Sons Limited**

Ash Grove Pipe Works

Elland

West Yorkshire

HX5 9JA

www.wtknowles.co.uk

## Open-Topped Flue Terminal

### Square Base Beehive Pot KSBBP



## Dimensions

Base:	Outside square	310mm
	Inside square	260mm
Top:	Outside diameter	225mm
	Inside diameter	200mm

Height:	KSBBP
mm	910

## Intended Use

To be fixed on a masonry chimney stack, over the flue liner, to convey combustion gases from a solid fuel fire safely into the atmosphere

## Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type 0 - open-topped flue terminal  
Annex ZA.I Attestation of conformity system - 4

## Performance Characteristic

Flow Resistance (K):	NPD
Durability: Freeze/Thaw	Pass - BSI Test Report 8422446
Dangerous Substances:	Not applicable

## Markings

WTK EN 13502 Type 0    **CE**  
OD / ID / HT    WTK    DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacture's instructions. This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles    Managing Director

Elland    4<sup>th</sup> June 2018  
Place and Date of Issue