



Established 1906

WT KNOWLES & SONS LIMITED

Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/SFT/KSBS

Manufacturer

W T Knowles & Sons Limited

Ash Grove Pipe Works
Elland
West Yorkshire
HX5 9JA
www.wtknowles.co.uk

Open-Topped Flue Terminal

Square Base Sankey Pot KSBS



Dimensions

Base:	Outside square	330mm
	Inside square	280mm
Top:	Outside diameter	185mm
	Inside diameter	150mm

Height:	KSBS
mm	920

Intended Use

To be fixed on a masonry chimney stack, over the flue liner, to convey combustion gases from a solid fuel fire safely into the atmosphere

Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type 0 - open-topped flue terminal
Annex ZA.1 Attestation of conformity system - 4

Performance Characteristic

Flow Resistance (K):	NPD
Durability: Freeze/Thaw	Pass - BSI Test Report 8422446
Dangerous Substances:	Not applicable

Markings

WTK EN 13502 Type 0 **CE**
OD / ID / HT WTK DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacture's instructions. This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles Managing Director

Elland 4th June 2018
Place and Date of Issue