



Established 1906

WT KNOWLES & SONS LIMITED

Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/SFT/KSFM1 - KSFM2

Manufacturer

W T Knowles & Sons Limited

Ash Grove Pipe Works

Elland

West Yorkshire

HX5 9JA

www.wtknowles.co.uk

Restricted Flue Terminal

Square Flat Mushroom Insert KSFM1 - KSFM2



Dimensions

		KSFM1	KSFM2
Base:	Outside square	225mm	190mm
	Inside square	195mm	140mm
Top:	Square	365mm	300mm
Height:	KSFM1	KSFM2	
	mm	330	325

Intended Use

To be fixed into an existing chimney pot or flue liner to convey combustion gases from a solid fuel fire safely into the atmosphere

Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type I - restricted flue terminal
Annex ZA.1 Attestation of conformity system - 4

Performance Characteristic

Flow Resistance (K):	Pass
Durability: Freeze/Thaw	Pass - BSI Test Report 8422446
Dangerous Substances:	Not applicable

Markings

WTK EN 13502 Type I CE
OD / ID / HT WTK DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacturer's instructions. This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles Managing Director

Elland 4th June 2018
Place and Date of Issue