



Established 1906

WT KNOWLES & SONS LIMITED

Construction Products Regulation 305/2011 Declaration of Performance

No. WTK/SFT/KYPP22

Manufacturer

W T Knowles & Sons Limited

Ash Grove Pipe Works

Elland

West Yorkshire

HX5 9JA

www.wtknowles.co.uk

Open-Topped Flue Terminal

Leeds 3 Bowl Push on Top KYPP22



Dimensions

Base:	Outside diameter	310mm
	Inside diameter	280mm
Top:	Outside diameter	300mm
	Inside diameter	200mm

Height:	KYPP22
mm	430

Intended Use

To be fixed onto an existing chimney pot or flue liner to convey combustion gases from a solid fuel fire safely into the atmosphere

Compliance

Conforms to harmonised standard: BS EN 13502:2002 Type 0 - open-topped flue terminal
Annex ZA.1 Attestation of conformity system - 4

Performance Characteristic

Flow Resistance (K):	NPD
Durability: Freeze/Thaw	Pass - BSI Test Report 8422446
Dangerous Substances:	Not applicable

Markings

WTK EN 13502 Type 0 **CE**
OD / ID / HT WTK DATE (DDMMYY)

The performance of the products described above is in conformity with the declared Performance Characteristic when installed and used in accordance with the manufacture's instructions. This declaration is issued under the sole responsibility of the manufacturer.

Signed for and on behalf of the manufacturer by: Martin Knowles Managing Director

Elland 4th June 2018
Place and Date of Issue